

Razzleberry Walker (0.5g&1g) PASS



SAMPLE ID
234329

SAMPLE NAME
Razzleberry Walker (0.5g&1g)

MATRIX
Concentrate

BATCH ID
RV407

TRACK AND TRACE TEST PACKAGE
1A4060300005F64000003084

TRACK AND TRACE SOURCE PACKAGE(S)
1A4060300002EE1000007471
1A4060300002EE1000007472

COLLECTED, RECEIVED
09/14/2020 12:39, 09/15/2020 08:51

BATCH SIZE, SAMPLE SIZE
8877 units, 24 units

PRODUCTION DATE
09/11/2020

DISTRIBUTOR INFO
Central Coast Ag Distribution, LLC
1201 W. Chestnut St.
Lompoc, CA 93436
License: C11-0000496-LIC

MANUFACTURER INFO
Central Coast AG Products, LLC
1201 West Chestnut Ave.
Lompoc, CA 93436
License: CDPH-10003156

TOTAL
CANNABINOIDS

84.02 %

TOTAL
THC

81.05 %

TOTAL
CBD

ND

TOTAL
TERPENES

5.73 %

Chemical Residue

No Analytes Detected

PASS

Chemical Residue GC

No Analytes Detected

PASS

Residual Solvent

Isopropyl Alcohol: 53.49 ug/g

PASS

Compliance Microbial

No Analytes Detected

PASS

Heavy Metals

Lead: <LL0Q

PASS

Mycotoxins

No Analytes Detected

PASS

Filth and Foreign Material

No Analytes Detected

PASS





CANNABINOID ANALYSIS

i Total THC,CBD value(s) have been decarboxylated.

TOTAL THC: 810.5 mg/g (81.05 %), 810.5 mg per package
 TOTAL CBD: ND
 TOTAL CANNABINOIDS: 840.2 mg/g (84.02 %)

UNIT OF MEASUREMENT: Milligrams per Gram(mg/g)

| ANALYTE | RESULT | LOD | LLOQ | ANALYTE | RESULT | LOD | LLOQ |
|---------|-----------------------|--------|--------|---------|----------------------|--------|--------|
| THCa | ND | 0.2000 | 0.4000 | CBDv | ND | 0.2000 | 0.4000 |
| D9THC | 810.5 mg/g (81.05 %) | 0.2000 | 0.4000 | CBGa | ND | 0.2000 | 0.4000 |
| D8THC | ND | 0.2000 | 0.4000 | CBG | 25.96 mg/g (2.596 %) | 0.2000 | 0.4000 |
| THCv | 3.712 mg/g (0.3712 %) | 0.2000 | 0.4000 | CBN | ND | 0.2000 | 0.4000 |
| CBDa | ND | 0.2000 | 0.4000 | CBC | ND | 0.2000 | 0.4000 |
| CBD | ND | 0.2000 | 0.4000 | | | | |

ADDITIONAL INFORMATION

Method: SOP-TECH-001
 Instrument: UPLC-DAD

Sample Prepped 09/15/2020 13:59
 Sample Analyzed 09/15/2020 15:44

Sample Approved 09/16/2020 09:22



TERPENE ANALYSIS

UNIT OF MEASUREMENT: Milligrams per Gram(mg/g)

| ANALYTE | RESULT | LOD | LLOQ | ANALYTE | RESULT | LOD | LLOQ |
|----------------------|------------------------|--------|--------|---------------------|-----------------------|--------|--------|
| 3-Carene | ND | 0.5000 | 1.000 | Alpha bisabolol | <LLOQ | 0.5000 | 1.000 |
| Alpha cedrene | ND | 0.5000 | 1.000 | Alpha humulene | 1.351 mg/g (0.1351 %) | 0.5000 | 1.000 |
| Alpha pinene | 4.027 mg/g (0.4027 %) | 0.5000 | 1.000 | Alpha terpinene | ND | 0.5000 | 1.000 |
| Alpha terpineol | 0.6553 mg/g (0.0655 %) | 0.3300 | 0.6500 | Beta caryophyllene | 6.358 mg/g (0.6358 %) | 0.5000 | 1.000 |
| Beta myrcene | 23.73 mg/g (2.373 %) | 0.5000 | 1.000 | Beta pinene | 3.096 mg/g (0.3096 %) | 0.6100 | 1.210 |
| Borneol | ND | 0.5000 | 1.000 | Camphene | ND | 0.5000 | 1.000 |
| Camphor | ND | 0.5000 | 1.000 | Caryophyllene oxide | ND | 0.5000 | 1.000 |
| Cedrol | ND | 0.5000 | 1.000 | Cis nerolidol | ND | 0.5000 | 1.000 |
| Eucalyptol | ND | 0.5000 | 1.000 | Fenchol | <LLOQ | 0.5000 | 1.000 |
| Fenchone | ND | 0.5000 | 1.000 | Gamma terpinene | ND | 0.5000 | 1.000 |
| Gamma terpineol | ND | 0.1000 | 0.2100 | Geranyl acetate | ND | 0.5000 | 1.000 |
| Guaiol | ND | 0.5000 | 1.000 | Isoborneol | ND | 0.5000 | 1.000 |
| Isopulegol | ND | 0.5000 | 1.000 | Limonene | 12.82 mg/g (1.282 %) | 0.5000 | 1.000 |
| Linalool | 1.993 mg/g (0.1993 %) | 0.5000 | 1.000 | Menthol | ND | 0.5000 | 1.000 |
| Ocimene 1 | ND | 0.1600 | 0.3100 | Ocimene 2 | 3.304 mg/g (0.3304 %) | 0.3500 | 0.6900 |
| P-cymene | ND | 0.5200 | 1.050 | P-mentha-1,5-diene | ND | 0.5000 | 1.000 |
| Pulegone | ND | 0.5000 | 1.000 | Sabinene | ND | 0.5000 | 1.000 |
| Sabinene hydrate | ND | 0.5000 | 1.000 | Terpinolene | <LLOQ | 0.5000 | 1.000 |
| Trans beta farnesene | <LLOQ | 0.5000 | 1.000 | Trans geraniol | ND | 0.5000 | 1.000 |
| Trans nerolidol | ND | 0.5000 | 1.000 | Valencene | ND | 0.5000 | 1.000 |



ADDITIONAL INFORMATION

Method: SOP-TECH-027
Instrument: GC-MS-FID

Sample Prepped 09/15/2020 17:14
Sample Analyzed 09/15/2020 17:14

Sample Approved 09/16/2020 17:29

 **CHEMICAL RESIDUE ANALYSIS** PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL |
|---------------|--------|--------|--------|--------------|---------------------|--------|--------|--------|--------------|
| Abamectin | ND | 0.0200 | 0.0400 | 0.1000 Pass | Acephate | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Acequinocyl | ND | 0.0200 | 0.0400 | 0.1000 Pass | Acetamiprid | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Aldicarb | ND | 0.0200 | 0.0400 | 0.0 Pass | Azoxystrobin | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Bifenazate | ND | 0.0200 | 0.0400 | 0.1000 Pass | Bifenthrin | ND | 0.0200 | 0.0400 | 3.000 Pass |
| Boscalid | ND | 0.0200 | 0.0400 | 0.1000 Pass | Carbaryl | ND | 0.0200 | 0.0400 | 0.5000 Pass |
| Carbofuran | ND | 0.0200 | 0.0400 | 0.0 Pass | Chlorantraniliprole | ND | 0.0200 | 0.0400 | 10.00 Pass |
| Clofentezine | ND | 0.0200 | 0.0400 | 0.1000 Pass | Coumaphos | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Cyfluthrin | ND | 0.4000 | 1.000 | 2.000 Pass | Cypermethrin | ND | 0.4000 | 1.000 | 1.000 Pass |
| Daminozide | ND | 0.0200 | 0.0400 | 0.0 Pass | Diazinon | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Dichlorvos | ND | 0.0200 | 0.0400 | 0.0 Pass | Dimethoate | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Dimethomorph | ND | 0.0200 | 0.0400 | 2.000 Pass | Ethoprophos | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Etofenprox | ND | 0.0200 | 0.0400 | 0.0 Pass | Etoazole | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Fenhexamid | ND | 0.0200 | 0.0400 | 0.1000 Pass | Fenoxycarb | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Fenpyroximate | ND | 0.0200 | 0.0400 | 0.1000 Pass | Fipronil | ND | 0.0400 | 0.1000 | 0.0 Pass |
| Fonicamid | ND | 0.0200 | 0.0400 | 0.1000 Pass | Fludioxonil | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Hexythiazox | ND | 0.0200 | 0.0400 | 0.1000 Pass | Imazalil | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Imidacloprid | ND | 0.0200 | 0.0400 | 5.000 Pass | Kresoxim methyl | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Malathion | ND | 0.0200 | 0.0400 | 0.5000 Pass | Metalaxyl | ND | 0.0200 | 0.0400 | 2.000 Pass |
| Methiocarb | ND | 0.0200 | 0.0400 | 0.0 Pass | Methomyl | ND | 0.0200 | 0.0400 | 1.000 Pass |
| Mevinphos | ND | 0.0200 | 0.0400 | 0.0 Pass | Myclobutanil | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Naled | ND | 0.0200 | 0.0400 | 0.1000 Pass | Oxamyl | ND | 0.0200 | 0.0400 | 0.5000 Pass |
| Paclobutrazol | ND | 0.0200 | 0.0400 | 0.0 Pass | Permethrins | ND | 0.0400 | 0.1000 | 0.5000 Pass |
| Phosmet | ND | 0.0200 | 0.0400 | 0.1000 Pass | Piperonyl butoxide | ND | 0.0200 | 0.0400 | 3.000 Pass |
| Prallethrin | ND | 0.0200 | 0.0400 | 0.1000 Pass | Propiconazole | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Propoxur | ND | 0.0200 | 0.0400 | 0.0 Pass | Pyrethrins | ND | 0.0200 | 0.0400 | 0.5000 Pass |
| Pyridaben | ND | 0.0200 | 0.0400 | 0.1000 Pass | Spinetoram | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Spinosad | ND | 0.0300 | 0.0700 | 0.1000 Pass | Spiromesifen | ND | 0.0200 | 0.0400 | 0.1000 Pass |
| Spirotetramat | ND | 0.0200 | 0.0400 | 0.1000 Pass | Spiroxamine | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Tebuconazole | ND | 0.0200 | 0.0400 | 0.1000 Pass | Thiacloprid | ND | 0.0200 | 0.0400 | 0.0 Pass |
| Thiamethoxam | ND | 0.0200 | 0.0400 | 5.000 Pass | Trifloxystrobin | ND | 0.0200 | 0.0400 | 0.1000 Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-002
Instrument: LC-MS/MS

Sample Prepped 09/15/2020 17:09
Sample Analyzed 09/15/2020 17:10

Sample Approved 09/16/2020 21:34



CHEMICAL RESIDUE GC ANALYSIS PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | |
|------------------|--------|--------|--------|--------------|------|--------------|--------|--------|--------|--------------|------|
| Captan | ND | 0.1000 | 0.2000 | 0.7000 | Pass | Chlordane | ND | 0.0109 | 0.0136 | 0.0 | Pass |
| Methyl parathion | ND | 0.0400 | 0.1000 | 0.0 | Pass | PCNB | ND | 0.0200 | 0.0400 | 0.1000 | Pass |
| Chlorfenapyr | ND | 0.0800 | 0.1000 | 0.0 | Pass | Chlorpyrifos | ND | 0.0800 | 0.1000 | 0.0 | Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-010 Sample Prepped 09/15/2020 17:09 Sample Approved 09/16/2020 10:32
 Instrument: GC-MS/MS Sample Analyzed 09/15/2020 17:10

RESIDUAL SOLVENT ANALYSIS PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | |
|-------------------|--------|--------|-------|--------------|------|--------------------|------------|--------|-------|--------------|------|
| Acetone | ND | 5.000 | 250.0 | 5000 | Pass | Acetonitrile | ND | 5.000 | 50.00 | 410.0 | Pass |
| Benzene | ND | 0.5000 | 1.000 | 1.000 | Pass | Butane | ND | 76.80 | 96.00 | 5000 | Pass |
| Chloroform | ND | 0.5000 | 1.000 | 1.000 | Pass | Ethanol | ND | 10.00 | 50.00 | 5000 | Pass |
| Ethyl Acetate | ND | 5.000 | 50.00 | 5000 | Pass | Ethyl Ether | ND | 25.00 | 50.00 | 5000 | Pass |
| Ethylene oxide | ND | 0.5000 | 1.000 | 1.000 | Pass | Heptane | ND | 1.000 | 5.000 | 5000 | Pass |
| Hexane | ND | 0.5000 | 5.000 | 290.0 | Pass | Isopropyl Alcohol | 53.49 ug/g | 5.000 | 50.00 | 5000 | Pass |
| Methanol | ND | 10.00 | 50.00 | 3000 | Pass | Methylene chloride | ND | 0.5000 | 1.000 | 1.000 | Pass |
| Pentane | ND | 1.000 | 50.00 | 5000 | Pass | Propane | ND | 16.00 | 20.00 | 5000 | Pass |
| Toluene | ND | 0.5000 | 1.000 | 890.0 | Pass | Xylenes | ND | 6.000 | 100.0 | 2170 | Pass |
| Trichloroethylene | ND | 0.2500 | 1.000 | 1.000 | Pass | 1,2-Dichloroethane | ND | 0.5000 | 1.000 | 1.000 | Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-021 Sample Prepped 09/15/2020 14:08 Sample Approved 09/16/2020 15:26
 Instrument: HS-GC-MS/FID Sample Analyzed 09/15/2020 14:08

MICROBIAL qPCR ANALYSIS PASS

UNIT OF MEASUREMENT: Cycle Threshold (Ct)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | |
|-------------|--------|-------|------|--------------|------|----------------|--------|-------|------|--------------|------|
| A.fumigatus | ND | 33.00 | 0.0 | 0.0 | Pass | A. flavus | ND | 33.00 | 0.0 | 0.0 | Pass |
| A. niger | ND | 33.00 | 0.0 | 0.0 | Pass | A. terreus | ND | 33.00 | 0.0 | 0.0 | Pass |
| STEC | ND | 33.00 | 0.0 | 0.0 | Pass | Salmonella spp | ND | 33.00 | 0.0 | 0.0 | Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-016, SOP-TECH-022 Sample Prepped 09/16/2020 05:27 Sample Approved 09/16/2020 15:00
 Instrument: qPCR Sample Analyzed 09/16/2020 05:31

HEAVY METALS ANALYSIS PASS

UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | |
|---------|--------|--------|--------|--------------|------|---------|--------|--------|--------|--------------|------|
| Arsenic | ND | 0.0200 | 0.0500 | 0.2000 | Pass | Cadmium | ND | 0.0050 | 0.0500 | 0.2000 | Pass |
| Lead | <LLOQ | 0.0100 | 0.0500 | 0.5000 | Pass | Mercury | ND | 0.0030 | 0.0500 | 0.1000 | Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-013 Sample Prepped 09/16/2020 07:19 Sample Approved 09/16/2020 20:25
 Instrument: ICP-MS Sample Analyzed 09/16/2020 07:20

MYCOTOXINS ANALYSIS PASS

UNIT OF MEASUREMENT: Micrograms per Kilogram(ug/kg)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | |
|------------------|--------|-------|-------|--------------|------|--------------|--------|-------|-------|--------------|------|
| Aflatoxin B1 | ND | 1.000 | 2.000 | N/A | | Aflatoxin B2 | ND | 2.000 | 5.000 | N/A | |
| Aflatoxin G1 | ND | 2.000 | 5.000 | N/A | | Aflatoxin G2 | ND | 2.000 | 5.000 | N/A | |
| Total Aflatoxins | ND | 10.00 | 14.00 | 20.00 | Pass | Ochratoxin A | ND | 1.000 | 2.000 | 20.00 | Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-020 Sample Prepped 09/15/2020 13:39 Sample Approved 09/16/2020 12:18
 Instrument: LC-MS/MS Sample Analyzed 09/15/2020 13:39

FILTH & FOREIGN MATERIAL ANALYSIS PASS

UNIT OF MEASUREMENT: Filth and Foreign Matter (%)

| ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | | ANALYTE | RESULT | LOD | LLOQ | ACTION LEVEL | |
|----------|--------|-----|------|--------------|------|---------|--------|-----|------|--------------|------|
| IF RH ME | ND | 0.0 | 0.0 | 3.000 | Pass | IFM | ND | 0.0 | 0.0 | 25.00 | Pass |
| Mold | ND | 0.0 | 0.0 | 25.00 | Pass | SSCD | ND | 0.0 | 0.0 | 25.00 | Pass |

ADDITIONAL INFORMATION

Method: SOP-TECH-009 Sample Prepped 09/15/2020 13:38 Sample Approved 09/15/2020 14:10
 Instrument: Visual Inspection Sample Analyzed 09/15/2020 14:00

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

THIS COA WAS REVIEWED AND APPROVED ON 09/16/2020, BY THE FOLLOWING:



Cody Sheppard, PhD
Co-Scientific Director



Kathryn Riker
Quality Control Manager

